



## Universal RFC catalyst insert for Mercedes SL500



### Product codes:

Reference: MS61

EAN13: -



---

**Product features:**

Catalyst application: Gasoline  
Cartridge type: Standard  
Cartridge material: Metal  
Producer: RFC  
Vehicle brand: Mercedes

**Product attributes:**

euro standard: Euro 2, Euro 4  
Insert length: 100 mm  
Capacity (cpsi): 400

**Product description:**

The RFC catalytic converter cartridge has been carefully designed for optimum performance and durability. The material used, metal, has been selected for gasoline engines, ensuring excellent efficiency. The catalytic converter cartridge is available in EURO 2 and EURO 4 emission standards, and has a capacity of 400 cpsi. It is the ideal solution for those looking for high quality and performance.

**List of Compatible Models:**

- MERCEDES-BENZ SL 500 R129 1992/09-2001/10 5.0/V8, 320 HP/235 KW,
- MERCEDES-BENZ 500 SL R129 1989/09-1992/08 5.0/V8, 326 HP/240 KW.
- MERCEDES-BENZ SL-Class R129 320 231 KM (1993-2001) 3,2l

**Product Features:**

- Constant temperature resistance up to 950 °C.
- Temporary temperature resistance up to 1100 °C.
- Distinctive triangle shape that fits perfectly into the original catalyst housing.
- Metal catalyst insert compatible with gasoline engines and LPG installations.

**Depending on the selected configuration, the catalyst meets the requirements of the European directive:**

- EURO 2 Directive 94/12/EC, 96/69/EC for passenger cars, effective from 1996.
- EURO 4 Directive 98/69/EC, 2002/80/EC for all vehicles, effective from 2005.

**Manufacturer's warranty: 12 months or 50,000 km.**

**OE Original Numbers:**



- 
- A1294900319
  - A1294901314
  - A1294901414
  - A1294901619
  - A1294902914
  - A1294904819