




## Regenerated catalytic converter VOLVO XC60 T6 3.0 2010



### Product codes:

Reference: REG-VOLVO-T6

EAN13: -



---

**Product features:****Product attributes:****Product description:****Reconditioned Catalytic Converter for Volvo XC60 T6 3.0 2010 - EURO 5 - 400 cpsi.****List of Models:****Volvo S60 II**

- 2014/04 - 2018/12: 3.0 T AWD, 258 kW (351 hp)
- 2010/04 - 2015/12: T6 AWD, 224 kW (304 hp)
- 2014/04 - 2015/12: T6 AWD, 242 kW (329 hp)

**Volvo S80 II**

- 2007/01 - 2010/12: T6 AWD, 210 kW (286 hp)
- 2010/10 - 2016/12: T6 AWD, 224 kW (305 hp)

**Volvo XC60**

- 2008/05 - 2010/12: T6 AWD, 210 kW (286 hp)
- 2010/03 - 2017/02: T6 AWD, 224 kW (304 hp)
- 2014/04 - 2015/12: T6 AWD, 242 kW (329 hp)

**Volvo XC70 II**

- 2008/01 - 2016/12: T6 AWD, 210 kW (286 hp)
- 2010/01 - 2015/04: T6 AWD, 224 kW (304 hp)
- 2013/11 - 2016/12: T6 Polestar AWD, 242 kW (329 hp)

The offer includes the reconditioning of the catalytic converter by welding a new metal insert into the original housing. The dimensions of the insert (125/100 mm) are optimally suited to this specific car model in terms of diameter and length. It meets EURO 5 emission standards. The universal catalytic converter insert has a throughput of 400 cpsi, making it an ideal solution for customers seeking a balance between efficiency and compliance with emission standards.

The insert is manufactured by the reputable company RFC and has all the necessary certifications. Additionally, we offer a 12-month or 50,000 km mileage warranty.

We perform the reconditioning in one day and will send back the catalytic converter ready for installation.



---

Please fill out the form when sending us the catalytic converter:

[Reconditioning Form](#)

Don't forget to eliminate the cause of the accelerated wear of the insert. If the wear occurred sooner than usual, it may be due to oil or fuel entering the exhaust system. An improperly tuned gas installation can also contribute to the accelerated wear of the original ceramic inserts, which cannot withstand higher gas combustion temperatures.

**If you feel confident, you can also replace the insert yourself. You can purchase it via the following link:**

[https://kat-eko.com/en/uniwersalne/277-2820-rfc-universal-catalytic-converter-core-5904347540746.html#/37-insert\\_length-100\\_mm/50-inlet\\_diameter-125\\_mm/58-euro\\_standard-euro\\_5/63-capacity\\_cpsi-400](https://kat-eko.com/en/uniwersalne/277-2820-rfc-universal-catalytic-converter-core-5904347540746.html#/37-insert_length-100_mm/50-inlet_diameter-125_mm/58-euro_standard-euro_5/63-capacity_cpsi-400)

**Original OE Numbers:**

- 36002702,
- 36002703,
- 36002708,
- 36000741.