



Lexus LS430 regenerated catalytic converter - EURO 4 500 cpsi



Product codes:

Reference: REG-REN-LEXLS430

EAN13: -





Product features:**Product attributes:****Product description:**

Lexus LS430 remanufactured catalytic converter - EURO 4 - 500 cpsi.

Model list:

- Lexus LS430 4.3L V8 gasoline, DOHC, 2001-2006,
- Lexus GS430 4.3L V8 gasoline, DOHC, 2001-2007.

The subject of the offer is the regeneration of the catalytic converter consisting of welding a new metal insert into the original housing.

The dimensions of the insert (110/100 mm) have been optimally adapted to this particular car model in terms of diameter and length. It meets EURO 4 emission standards. The universal catalytic converter cartridge used has a capacity of 500 cpsi. The universal catalytic converter cartridge is an ideal solution for customers looking for a balance between performance and compliance with emission standards.

The cartridge was manufactured by the renowned AWG company and has all the necessary approvals. In addition, we offer a warranty for a period of 12 months or 50,000 km of mileage.

We do the regeneration in one day and send you back the catalyst ready for installation.

When sending your catalytic converter to us, fill out the form:

<https://kat-eko.com/pl/content/6-regeneracja-katalizatorow>

Also, do not forget to remove the cause of faster wear of the cartridge, if its wear has occurred faster than standard the cause may be oil or fuel entering the exhaust system. If you have a gas installation and, in addition, it is not adjusted too well, it also contributes to faster wear of the original ceramic cartridges, which are not resistant to the higher temperature of gas combustion.

If you feel up to it, you can also replace the cartridge yourself, which you can buy from the link below:

[https://kat-eko.com/pl/uniwersalne/390-2232-wklad-katalizatora-benzyna-awg.html#/37-dlugosc_wkladu-100 mm/47-srednica_wkladu-110 mm/57-norma_euro-euro_4/64-przepustowosc_cpsi-500](https://kat-eko.com/pl/uniwersalne/390-2232-wklad-katalizatora-benzyna-awg.html#/37-dlugosc_wkladu-100_mm/47-srednica_wkladu-110_mm/57-norma_euro-euro_4/64-przepustowosc_cpsi-500)



OE original numbers:

- 18450-50350,
- 1845050350.