




Regenerated catalytic converter KIA Ceed 1.4 100 hp 2014 - EURO 6



Product codes:

Reference: REG-CEED-II

EAN13: -





Product features:**Product attributes:****Product description:**

Catalytic converter remanufactured KIA Ceed 1.4 100 hp 2014 - EURO 6 / 600 cpsi.

List of models:

- Kia Ceed 1.4 100hp 2012-2018
- Kia Sportage III 1.6 GDi 135hp 2014-2016
- Kia Sportage III 1.6 GDi 135hp 2014-2016
- Hyundai i30 II 1.4 MPI 100 hp 2012-2015
- Hyundai ix35 1.6 GDi 135 hp 2010-2013
- Hyundai Tucson III 1.6 GDi 132 hp 2015-2020

The subject of the offer is catalytic converter regeneration consisting of welding a new metal insert into the original housing.

The dimensions of the insert (110/100 mm) have been optimally adapted to the Kia Ceed in terms of diameter and length. It meets EURO 6 emission standards. The universal catalytic converter cartridge used has a capacity of 600 cpsi. The universal catalytic converter cartridge is an ideal solution for customers looking for a balance between performance and compliance with emission standards.

The cartridge was manufactured by the renowned RFC company and has all the necessary approvals. In addition, we offer a warranty for a period of 12 months or 50,000 km of mileage.

We do the regeneration in one day and send you back the catalytic converter ready for installation. Sending the catalytic converter to us, fill out the form:

<https://kat-eko.com/pl/content/6-regeneracja-katalizatorow>

Also don't forget to fix the cause of faster cartridge wear, if it has worn out faster than standard the cause may be oil or fuel entering the exhaust system. If you have a gas system installed and in addition it is not too well adjusted it also contributes to faster wear of the original ceramic cartridges, which are not resistant to the higher temperature of gas combustion.

If you feel up to it, you can also replace the cartridge yourself, which you can buy from the link below:

https://kat-eko.com/pl/universalne/277-2779-wklad-katalizatora-universalny-rfc-5904347540746.html#/37-length_insert-100_mm/47-diameter_insert-110_mm/59-norm_euro-euro_6/65-capacity_cpsi-600



OE original numbers:

- W2BGF5