



## Regenerated catalytic converter Aston Martin DB7 Vantage 5.9L 420HP 2001



### Product codes:

Reference: REG-ASTON-DB7

EAN13: -





---

**Product features:****Product attributes:****Product description:****Regenerated catalytic converter ASTON MARTIN DB7 VANTAGE 5.9 2001 EURO 4**

**The subject of the offer is catalytic converter regeneration consisting of welding new metal inserts into the original housing.**

The dimensions of the inserts (90/100, 95/100, 80/50 mm) have been optimally matched to the Aston Martin DB7 Vantage in terms of diameter and length. They meet EURO 4 and EURO 2 emission standards. The universal catalyst cartridges used have a capacity of 400 and 200 cpsi. Universal catalytic converter cartridges are the ideal solution for customers looking for a balance between performance and compliance with emission standards.

The cartridges were manufactured by the renowned AWG company. In addition, we offer a warranty for a period of 12 months or 50,000 km of mileage.

**We do the regeneration in one day and send you back the catalytic converter ready for installation. Sending the catalytic converter to us, fill out the form:**

<https://kat-eko.com/pl/content/6-regeneracja-katalizatorow>

Don't forget to also fix the cause of faster cartridge wear, if it has worn out faster than standard the cause may be oil or fuel entering the exhaust system. If you have a gas system installed and in addition it is not too well adjusted it also contributes to faster wear of the original ceramic cartridges, which are not resistant to the higher temperature of gas combustion.

**If you feel up to it, you can also replace the cartridges yourself, which you can buy at the link below:**

**2x**

[https://kat-eko.com/pl/uniwersalne/390-2550-wklad-katalizatora-benzyna-awg.html#/37-dlugosc\\_wkladu-100 mm/43-srednica wkladu-90 mm/55-norma euro-euro 2/63-przepustowosc cpsi-400](https://kat-eko.com/pl/uniwersalne/390-2550-wklad-katalizatora-benzyna-awg.html#/37-dlugosc_wkladu-100_mm/43-srednica_wkladu-90_mm/55-norma_euro-euro_2/63-przepustowosc_cpsi-400)

**2x**

[https://kat-eko.com/pl/uniwersalne/390-2217-wklad-katalizatora-benzyna-awg.html#/37-dlugosc\\_wkladu-100 mm/44-srednica wkladu-95 mm/57-norma euro-euro 4/64-przepustowosc cpsi-500](https://kat-eko.com/pl/uniwersalne/390-2217-wklad-katalizatora-benzyna-awg.html#/37-dlugosc_wkladu-100_mm/44-srednica_wkladu-95_mm/57-norma_euro-euro_4/64-przepustowosc_cpsi-500)

**2x**

[https://kat-eko.com/en/universal/390-2265-catalyst-inlet-benzine-awg.html#/54-diameter\\_inlet-80 mm/57-norm euro-euro 4/64-capacity cpsi-500/90-length\\_inlet-50 mm](https://kat-eko.com/en/universal/390-2265-catalyst-inlet-benzine-awg.html#/54-diameter_inlet-80_mm/57-norm_euro-euro_4/64-capacity_cpsi-500/90-length_inlet-50_mm)



---

**OE original numbers:**

- **35-121268-AC**
- **35-121269-AC**