



Reconditioned catalytic converter AUDI RS6/RS6 Performance 4.0 V8 TFSI Quattro



Product codes:

Reference: REG-AUDI001

EAN13: -





Product features:

Cartridge material: Metal - type S
Producer: OE
Engine capacity: 4.0
Year of production: 2012-2018
Horsepower: 420, 450, 520, 560, 605 HP
OE number: 4G0 131 703A, 4G0 178 EB, 4G0 254 202, 4G0 254 252, 4G0131703A, 4G0178EB, 4G0254202N, 4G0254252I
Product type: Regenerated
Engine code: CEUC, CTFA, CTGE, CGTA, CWUB
Warranty: 12 months

Product attributes:

Product description:

WITH DEPOSIT

Purchase without returning the old part – the item is shipped immediately. You can return your old catalytic converter within 30 days from the date of purchase and receive a deposit refund. The returned unit must be complete, original, marked with the OE number, and free from mechanical damage or signs of tampering. We do not accept cash-on-delivery (COD) shipments when returning the old catalytic converter.

WITHOUT DEPOSIT

Purchase with return of the old part – the item is shipped after we receive the old catalytic converter. The unit must be complete, original, marked with the OE number, and free from mechanical damage or signs of tampering. We do not accept cash-on-delivery (COD) shipments.

Catalytic converter regeneration includes replacement of the old worn catalytic converter cartridge with a new metal cartridge, returning the system to full efficiency and meeting emission standards.

In remanufactured catalytic converters for Audi 4.0 TFSI engines (e.g. S6, S7, S8, RS6, RS7), we install new metal cartridges with a capacity of 400 cpsi (cells per square inch) as standard. Originally, these vehicles are equipped with 900 cpsi cartridges.

RFC cartridges with a throughput of 400 cpsi have better exhaust gas flow and lower resistance, which in some cases can positively affect vehicle performance. However, it should be remembered that the effectiveness of the catalytic converter depends largely on the overall technical condition of the vehicle - in particular, the injection system, ignition system and engine.

Note: The installation of a catalytic converter with 400 cpsi cartridges may not be sufficient in



vehicles with a faulty engine or power system. This can lead to improper operation of the catalytic converter and failure to meet emission standards.